

HOUSING STANDARDS

**§ 654.404 Housing site.**

(a) Housing sites shall be well drained and free from depressions in which water may stagnate. They shall be located where the disposal of sewage is provided in a manner which neither creates nor is likely to create a nuisance, or a hazard to health.

(b) Housing shall not be subject to, or in proximity to conditions that create or are likely to create offensive odors, flies, noise, traffic, or any similar hazards.

(c) Grounds within the housing site shall be free from debris, noxious plants (poison ivy, etc.) and uncontrolled weeds or brush.

(d) The housing site shall provide a space for recreation reasonably related to the size of the facility and the type of occupancy.

**§ 654.405 Water supply.**

(a) An adequate and convenient supply of water that meets the standards of the State health authority shall be provided.

(b) A cold water tap shall be available within 100 feet of each individual living unit when water is not provided in the unit. Adequate drainage facilities shall be provided for overflow and spillage.

(c) Common drinking cups shall not be permitted.

**§ 654.406 Excreta and liquid waste disposal.**

(a) Facilities shall be provided and maintained for effective disposal of excreta and liquid waste. Raw or treated liquid waste shall not be discharged or allowed to accumulate on the ground surface.

(b) Where public sewer systems are available, all facilities for disposal of excreta and liquid wastes shall be connected thereto.

(c) Where public sewers are not available, a subsurface septic tank-seepage system or other type of liquid waste treatment and disposal system, privies or portable toilets shall be provided. Any requirements of the State health authority shall be complied with.

**§ 654.407 Housing.**

(a) Housing shall be structurally sound, in good repair, in a sanitary condition and shall provide protection to the occupants against the elements.

(b) Housing shall have flooring constructed of rigid materials, smooth finished, readily cleanable, and so located as to prevent the entrance of ground and surface water.

(c) The following space requirements shall be provided:

(1) For sleeping purposes only in family units and in dormitory accommodations using single beds, not less than 50 square feet of floor space per occupant;

(2) For sleeping purposes in dormitory accommodations using double bunk beds only, not less than 40 square feet per occupant;

(3) For combined cooking, eating, and sleeping purposes not less than 60 square feet of floor space per occupant.

(d) Housing used for families with one or more children over 6 years of age shall have a room or partitioned sleeping area for the husband and wife. The partition shall be of rigid materials and installed so as to provide reasonable privacy.

(e) Separate sleeping accommodations shall be provided for each sex or each family.

(f) Adequate and separate arrangements for hanging clothing and storing personal effects for each person or family shall be provided.

(g) At least one-half of the floor area in each living unit shall have a minimum ceiling height of 7 feet. No floor space shall be counted toward minimum requirements where the ceiling height is less than 5 feet.

(h) Each habitable room (not including partitioned areas) shall have at least one window or skylight opening directly to the out-of-doors. The minimum total window or skylight area, including windows in doors, shall equal at least 10 percent of the usable floor area. The total openable area shall equal at least 45 percent of the minimum window or skylight area required, except where comparably adequate ventilation is supplied by mechanical or some other method.